

# Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 3/13

ID-360/17

## 1. PRODUCT AND COMPANY IDENTIFICATION

**1.1 Trade Name** : BSTE SBR 0122

**Chemical Name** : Extended Oil Butadiene Styrene copolymer

**3 Manufacturer/Import** : BST Elastomers Company Limited

**1.4 Address** : 5/1, I-7 Rd. Maptaphut Industrial Estate, Muang District, Rayong 21150

Tel. : +66(0) 3869-8698 Fax: +66(0) 3869-8690

## 2. HAZARD IDENTIFICATION

### 2.1 Classification of Substance or Mixture

**Classification according to Directive 1999/45/EC** : Not classified

**GHS classification** : This product is not classified as hazardous.

#### Physical Hazards :

Explosives :	Not classified
Flammable gases :	Not applicable
Flammable aerosols :	Not applicable
Oxidizing gases :	Not applicable
Gases under pressure :	Not applicable
Flammable liquids :	Not applicable
Flammable Solids :	Not classified
Self-reactive substances and mixture	Not classified
Substances and mixtures which, in contact with water, emit flammable gases	Not classified
Oxidizing liquids :	Not applicable
Oxidizing solids :	Not classified
Organic peroxides :	Not classified
Corrosive to metals :	Not classified

## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 4/13

ID-360/17

---

### Health Hazards :

Acute toxicity (oral) :	Not classified
Acute toxicity (Dermal) :	Classification not possible
Acute toxicity (Inhalation) :	Classification not possible
Serious eye damage/irritation :	Not applicable
Respiratory sensitization :	Classification not possible
Skin sensitization :	Not classified
Germ cell mutagenicity :	Classification not possible
Carcinogenicity :	Not classified
Reproductive toxicity :	Classification not possible
Specific target organ toxicity (Single exposure) :	Classification not possible
(Repeated exposure) :	Classification not possible
Aspiration hazards :	Not applicable

### Environmental hazards :

Hazards to aquatic environment

(Acute) :	Not classified
(Chronic) :	Not classified

### 2.2 Label Elements :

Pictogram or Symbol :	Not applicable
Signal word :	Not applicable
Hazard statement :	Not applicable

### 2.3 Other Hazards

Other hazards which do not result in classification

## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 5/13

ID-360/17

**Precautionary Statements** : Not expected to produce significant adverse health effect when the recommended instruction for use are followed. May cause mechanical irritation (abrasion). Toxic and irritating gases/fumes maybe given off during burning or thermal decomposition. Contact with hot material will cause thermal burns.

### 3.COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name : Extended Oil Styrene Butadiene Copolymer

Synonyms : None

Name	CAS No.	%
Styrene Butadiene Copolymer	9003-55-8	73
Low Polycyclic Aromatic Oil	64742-10-5	27

### 4.First - aid measures

#### 4.1 Description of first aid measures

**Skin** : Wash skin with soap and water.

**Eye** : Wash eyes with large amounts of water occasionally lifting upper and lower lids, until no evidence of chemical remains at least 15-20 minutes.

**Inhalation** : Although this product is not known to cause respiratory problems, if breathing is difficult , remove to fresh air and provide oxygen.

**Ingestion** : Ingestion is not considered a potential route of exposure.

#### 4.2 Potential acute health effects

**Skin** : May cause slight skin irritation .

**Eye** : No hazards expected in normal industrial use at room temperature.

**Inhalation** : Irritating vapors may be formed when product is processed at high temperature.

**Ingestion** : Ingestion is not considered a potential route of exposure.

#### 4.3 Potencial Chronic health effects.

**Chronic effects** : No known significant effects or critical hazards

## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 6/13

ID-360/17

---

**Carcinogenicity** : No carcinogenic substances as defined by IARC , NTP and/or OSHA.

**4.4 Notes to physician** : No specific treatment . Treat symptomatically.

### 5.FIRE FIGHTING MEASURES

#### 5.1 Extinguishing Media

**Suitable Extinguishing Media** : Dry chemical powder, CO<sub>2</sub>, water spray or regular foam. For large fires, use water spray, fog or regular foam.

#### 5.2 Special Hazards Arise from the Substance or Mixture

**Hazards from the substance or mixture** : Toxic and irritating gases/fumes may give off during burning or thermal decomposition

**Hazardous decomposition Products** : Thermal decomposition may release acrid smoke and irritation fumes

#### 5.3 Advice for Firefighters

**Special Fire-Fighting Procedures** : Move container from fire area if you can do it without risk. Do not scatter spilled material with high-pressure water streams. Dike fire –control water for later disposal (1993 Emergency Response Guidebook, RSPA P5800.6, Guide Page 31). Use agents suitable for type of surrounding fire. Avoid breathing hazardous vapors, keep upwind.

**Special Protective Equipment for Firefighters** : Should wear appropriate protective equipment and SCBA with a full face-piece operated in positive pressure mode.

**5.4 Flash Point** : No data available

**5.5 Explosion Limits** : No data available

**5.6 Auto ignition** : No data available

### 6.ACCIDENTAL RELEASE MEASURES

---

เอกสารนี้เป็นเอกสารใช้ภายในบริษัท เท่านั้น เอกสารฉบับควบคุมจะอยู่ในรูปสื่ออิเล็กทรอนิกส์เท่านั้น  
นอกเหนือจากนี้จะไม่อยู่ภายใต้การควบคุม ห้ามนำไปใช้ในการปฏิบัติงานโดยเด็ดขาด

## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 7/13

ID-360/17

---

**6.1 Personal Precaution** : No special measure required

**6.2 Environmental Precaution** : Sweep up and place in suitable containers. Do not flush spilled material into sewer. Keep unnecessary people away.

### 6.3 Method and Materials for Containment and Cleaning Up

**Small Spill** : Take up mechanically, treat or dispose of waste material in accordance with all local and national requirements.

**Large Spill** : Handle as solid waste. Vacuum or sweep up material and place in a disposal container.

## 7.HANDLING AND STORAGE

### 7.1 Precaution for Safe Handling :

- Make efforts to keep workplace clean and tidy, and avoid using fire.
- Since there is possibility of volatile matter generating during work, it may cause irritation to the eyes.
- After work, before smoking or eating, wash the hands well, and gargle.

### 7.2 Condition for Safe Storage including any incompatibilities :

- Indoor to prevent deterioration, avoid the following.
  - Exposure to the direct sun rays.
  - High temperature, high humidity.
  - Outdoor storage.
- Even in the case of indoor storage, avoid storing in high-temperature area or near UV-emitting lights such as the incandescent lamps and mercury lamps.
- In case of bulk shipments, in odor to prevent crumbling of the bulk cargo, keep the

### 7.3 Incompatible Materials : No Data Available

## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 8/13

ID-360/17

---

### 8.EXPOSURE CONTROLS / PERSONAL PROTECTION

#### 8.1 Control Parameter

**Exposure limit value : No Data Available**

#### 8.2 Exposure Control

**Occupational exposure controls :**

user operation generate dust , fume or dust use ventilation to keep exposure to airborne contaminants below the exposure limit.

**Environment exposure controls**

**Technical measure** : Emission from ventilation or work process equipment should be check to ensure comply with the requirement of environmental protection legislation. In some case, fume scrubbers , filters or engineering modifications to the process equipment will be necessary to reduce emission to acceptable levels.

#### 8.3 personal protection measure

**Respiratory protection** : Respirator with a dust and mist filter in case dust formation.

**Protective Gloves** : Employee should wear appropriate protective gloves to prevent contact with this substance.

**Eye Protection** : Employee must wear splash-proof or dust resistant safety goggles to prevent eye contact with this substance.

**Skin** : Employee should wear appropriate protective (impervious) clothing and equipment to prevent repeated or prolonged skin contact with this substance.

### 9.PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 General information Appearance

**Physical State** : Solid (Rubber bales)

**Colour** : Greenish brown or dark brown

**Odour** : slight odor

## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 9/13

ID-360/17

---

**9.2 Odour treshold limit** : No data available.

**9.3 pH** : No data available.

**9.4 Melting Point / Freezing point** : No data available.

**9.5 Initial boiling point and boiling range** : No data available.

**9.6 Flash point : Closed cup** : No data available.

**9.7 Evaporation Rate** : No data available

**9.8 Flammability (Solid/Gas)**: No data available.

**9.9 Upper Flammability/Explosive limits** : No data available.

**Lower Flammability/Explosive limits** : No data available.

**9.10 Vapor Pressure** : No data available.

**9.11 Vapor density** : No data available.

**9.12 Relative density** : No data available

**9.13 Solubility** : Insoluble in water.

**9.14 partition Coefficien : n-octanol / water** : No data available

**9.15 Specific Gravity ) (Water=1)** : No data available

**9.16 Auto ignition temperature** : No data available.

**9.17 Decomposition temperature** : No data available.

**9.18 Viscosity**: No data available.

**9.19 Molecular Weight**: No data available.

## 10. STABILITY AND REACTIVITY

**10.1 Reactivity** : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Stability**: Stable

**10.3 Possibility of hazardous reaction** : Under normal condition storage and use , hazardous reaction will not occur.

**10.4 Conditions to Avoid** : No data available.

## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 10/13

ID-360/17

---

**10.5 Incompatible material:** There are no known materials which are incompatible with this product.

**10.6 Hazardous Decomposition Products :** Carbon monoxide (from combustion)



## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 11/13

ID-360/17

---

### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Potential acute health effects

**Skin** : May cause mechanical irritation (abrasion). Contact with hot material will cause thermal burns.

**Eye** : May cause mechanical irritation (abrasion).

**Inhalation** : May cause mechanical irritation (abrasion).

**Ingestion** : No known significant effects or critical hazards.

#### 11.2 Potential Chronic health effects.

**Chronic effects** : No known significant effects or critical hazards

**Carcinogenicity** : No carcinogenic substances as defined by IARC , NTP and/or OSHA.

#### 11.3 Acute Toxicity Level :

**Acute oral toxicity** : Not available

**Acute dermal toxicity** : Not available

**Acute inhalation toxicity** : Not available

### 12. ECOLOGICAL INFORMATION

**12.1 Eco-Toxicity**: No data available.

**12.2 persistence and Degradability** : No data available.

**12.3 Bioaccumulative Potential** : No data available.

**12.4 Mobility in soil** : No data available.

**12.5 Other Adverse effect** : No data available.

The product is practically insoluble in water. No ecological problems are to be expected if the product is properly handling.

### 13. DISPOSAL CONSIDERATIONS

---

เอกสารนี้เป็นเอกสารใช้ภายในบริษัท เท่านั้น เอกสารฉบับควบคุมจะอยู่ในรูปสื่ออิเล็กทรอนิกส์เท่านั้น  
นอกเหนือจากนี้จะไม่อยู่ภายใต้การควบคุม ห้ามนำไปใช้ในการปฏิบัติงานโดยเด็ดขาด

## Safety Data Sheet For SBR 0122

Document Code S-PSM-BE-S01048

Effective Date

4 May 2017

Revision

3

Page 12/13

ID-360/17

---

13.1 Observe all federal, state and local regulations disposing of this substance.

### 14. TRANSPORT INFORMATION

14.1 UN No. : Not available

14.2 UN Proper shipping name : Not available

14.3 Transport Hazard class : Not available

14.4 Packing group : Not available

14.5 Marine pollutants : Not available

14.6 Transport in bulk according to annex II of MARPOL73/78 and the ICB code : Not available

14.7 Special precautions for user/Additional information :

### 15. REGULATORY INFORMATION

#### 15.1 Thailand Regulation

- Labour Protection Act B.E.2541 : Material is not listed

- Hazardous Substance Act B.E. 2535 : Material is not listed

15.2 CLP Regulation : European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures, ; Material is listed in Annex VI

15.3 OSHA : No data available.

15.4 TSCA : No data available.

15.5 SARA : No data available

15.6 REACH Regulation : Material is not listed

## Safety Data Sheet For SBR 0122

Document Code	S-PSM-BE-S01048	Effective Date	4 May 2017
Revision	3	Page	13/13 ID-360/17

---

### 16.OTHER INFORMATION

#### Key or legend to abbreviations and acronyms used in the safety data sheet

ACGIH : American Conference of Government Industrial Hygienists

NFPA : National Fire Protection Agency

NIOSH : National Institute for Occupational Safety & Health

OSHA : Occupational Safety & Health Administration

IARC : International Agency for Research on Cancer

SARA : Superfund Amendments and Reauthorization Act.

GHS : Globally Harmonized System

TSCA : Toxic Substance Control Act

WHMIS : Workplace Hazardous Materials Information System

LD50 : Lethal Dose 50%

CNS : Central Nervous System NTP National Toxicology Program

EC50 : Effective Concentration NOAEL No Observable Adverse EffectLevel

EC50 : Effective Concentration 50% NOEC No Observed Effect Concentration

PEL : Permissible Exposure Limit

STEL : Short-term Exposure Limit

TLV : Threshold Limit Value

TWA : Time Weighted Average

#### Remark

Additional Information Available from

Name: BST Elastomers Company Limited

Address: 5/1, I-7 Road. Maptaput Industrial Estate, Muang District, Rayong 21150

Tel. : +66(0) 3869-8698 Fax. : +66(0) 3869-8690